372-012 JOCKEY STANDARD 2 RIB - 10" DOUBLE ROAD SOLID PU WHEEL






Travel made easy

372-012 JOCKEY STANDARD 2 RIB - 10" DOUBLE ROAD SOLID PU WHEEL

SPECIFICATIONS - KEY FEATURES

- IDEAL FOR SINGLE CLAMPS



PROVIDES GREASE TO BEARING AND THREAD

MACHINED LUGS FROM HEAVY WALLED PIPE IN EQUAL SPACING FOR ADJUSTABLE HEIGHT

QUALITY AUSTRALIAN POWDER COATED

LOCKING SLOT FOR TRAVELING

QUICK RELEASE LYNCH PIN

CURVED, OFFSET WHEEL BRACKET FOR EXCELLENT TURNING RESPONSE

DOUBLE BALL BEARING


HEAVY DUTY MOULDED PLASTIC HUB

10" (250mm) SOLID DENSE PU WHEEL

Travel made easi

372-012 JOCKEY STANDARD 2 RIB - 10" DOUBLE ROAD SOLID PU WHEEL


EXTENSION DETAILS - LOWER LUG POSITION



MOVING AROUND

JOCKEY STANDARD 2 RIB

MAXIMUM LIFT DETAILS



MAXIMUM LIFT & SLOPE WITH 120mm EXTENSION

